# GANN

# Japanese Journal of Cancer Research

Founded in 1907 by K. Yamagiwa

Vol. 72 (1981)



JAPANESE CANCER ASSOCIATION

ISSN 0016-450X

Honorary Editors

Morizo Ishidate

Sanji Kishi

Toshio Kurokawa

Editor-in-Chief Takashi Sugimura

Editorial Board

Genshichiro Fujii Tomoyuki Kitagawa Susumu Nishimura Tetsuo Ono\* Hiroto Shimojo Shigeru Tsuiki Kazumasa Yamada Yoshiyuki Hashimoto Wataru Mori Yasuaki Nishizuka Tamenori Onoé Toyozo Terasima Shigeru Tsukagoshi\*\*

Kokichi Kikuchi Chikayoshi Nagata Kazuo Nitta Haruo Sato Kumao Toyoshima Tadashi Utakoji\*\*\*

\*In Charge of Monographs \*\*In Charge of Circulation

\*\*\*In Charge of Periodicals

Language Editor W. R. S. Steele Technical Staff Hisaë Izumo

Japanese Cancer Association c/o Cancer Institute, Kami-Ikebukuro 1-37-1, Toshima-ku, Tokyo 170, Japan

No. 1 pp. 1~179 No. 2 pp. 181~340 No. 3 pp. 341~469 No. 4 pp. 471~638 No. 5 pp. 639~812 No. 6 pp. 813~998

Naito, S., Kinjo, M., Nanno, S., Kohga, S., Oka, K., and Tanaka, K.: Fibrinolysis-inhibitory Activity of Cultured Human Cancer Cell Lines
Ikenaka, K., Fukushima, M., Shirasaka, T., and Fujii, S.: Possible Regulation of
Ribonucleoside Diphosphate Reductase
Toyoshima, S., Fukuma, M., Seto, Y., Fujita, H., Fukushima, K., Tomioka,
H., Sakurai, T., Sugimoto, Y., Yagi, T., Hoshino, T., and Sowa, T.: In
vivo Distribution of <sup>14</sup> C-labeled N <sup>4</sup> -Behenoyl-1-β-D-arabinofuranosylcytosine in Mice
Mice
tration of N-Ethyl-N-nitrosourea in Wistar Rats
Yoshiga, K., Hayashi, T., Takada, K., and Okuda, K.: Changes of Sterol Me-
tabolism during 3-Methylcholanthrene-induced Mouse Skin Carcinogenesis 38
Tabuchi, Y., Takiguchi, Y., Murayama, Y., and Saito, Y.: Effect of Cellular
Reaction in Gastric Cancer Tissue and in Regional Lymph Nodes on the Mitotic
Activity of Cancer Cells
Komiyama, K., Edanami, K., Kuroda, T., and Umezawa, I.: Antitumor Effect
of 3-[3-(2-Chloroethyl)-3-nitrosoureido]-3-deoxy-p-glucopyranose on Murine
Tumors 55
Tominaga, T., Kitamura, M., Saito, T., Itoh, I., and Takigawa, H.: Com-
parative Histochemical and Biochemical Assays of Estrogen Receptors in Breast  Cancer Patients
Cancer Patients 60 Mitsui, H., Matsuno, T., Ogawa, H., Shiio, T., Yigari, Y., and Tamura, G.:
Antitumor Activity of a New Compound, Ethyl O-[N-(p-Carboxyphenyl)-
carbamoyl]-mycophenolate, against Various Experimental Tumors upon
Oral Administration 66
Kimura, H., and Yamaguchi, Y.: Distribution of in vitro-stimulated Immune Lymphocytes in Mice Bearing Moloney Murine Sarcoma Virus-induced Primary
Tumor
Terao, K., and Ito, E.: The Effects of Naturally Occurring Bisdihydrofuran Ring-
containing Mycotoxins on Cultured Chick Embryonal Hepatocytes
Torikai, T., Itoh, O., Satoh, M., Okumura, O., and Osawa, T.: Identification of
a Serum Glycoprotein that Increased in OK-432-treated Mice as Hemopexin 92
Nagayoshi, S., Imai, M., Tsutsui, Y., Saga, S., Takahashi, M., and Hoshino,
M.: Use of the Immune Adherence Hemagglutination Test for Titration of
Breast Cancer Patients' Sera Cross-reacting with Purified Mouse Mammary
Tumor Virus
Takenaga, K., Honma, Y., and Hozumi, M.: Inhibition of Differentiation of
Mouse Myeloid Leukemia Cells by Phenolic Antioxidants and α-Tocopherol104
Suzuki, E., Iiyoshi, M., and Okada, M.: Metabolic Fate of N-Butyl-N-(4-
hydroxybutyl)nitrosamine Homologs in the Rat, in Relation to Their
Organotropic Carcinogenicity to the Urinary Bladder113
72(6) 1981 -

Indo, K., and Miyaji, H.: Effect of Tumor Promoter Phorbol Esters on the in vitro Keratinization of Rat Epidermal Cells in Normal, Premalignant and Malig-	102
nant Stages  Imai, M., Sumi, C., Nagayoshi, S., Hoshino, M., and Yokoro, K.: Immunological Reaction between Sera from Neutron-irradiated W/Fu Rats and Mouse Mam-	
mary Tumor Virus	132
——NOTES——	
Fuyama, S., Sendo, F., Watanabe, S., Seiji, K., and Arai, S.: Inhibition of Mouse Natural Killer Activity by Cholera Toxin	141
Fujiwara, Y., Tatsumi, M., Kano, Y., Yamamoto, K., Miyazaki, N., Paul, P., Goto, K., and Ichihashi, M.: Sister-chromatid Exchanges Are Not Directly Related to 6-Thioguanine-resistant Mutations Induced by Ultraviolet Radiation in V79 Chinese Hamster Cells	145
Hatanaka, S., Sawada, S., and Midorikawa, O.: Effect of Hormonal Milieu on the Growth of Transplantable Granulosa Cell Tumors in Mice	151
Inayama, S., Hori, H., Ohsaka, T., Mori, T., and Shibata, C.: An Approach to the Design and Synthesis of Mercaptoimidazole Derivatives Containing	
Oxidized Sulfur Based on Electron Affinity Sensitization  Mori, Y., Nagai, H., Hori, T., Niwa, T., Toyoshi, K., Koda, A., Kawada, K., and Ojima, A.: Tumorigenicity of 3'-Hydroxymethyl, 3'-Formyl, and 3'-	
Carboxy Derivatives of 4-(Dimethylamino)azobenzene in Rat Liver	
Mochizuki, Y., Furukawa, K., Sawada, N., and Gotoh, M.: Dose-dependent Enhancing Effect of Phenobarbital on Hepatocarcinogenesis Initiated by	
Diethylnitrosamine in the Rat	170
——COMMUNICATIONS——	
Ito, A., Watanabe, H., Naito, M., and Naito, Y.: Induction of Duodenal Tumors in Mice by Oral Administration of Hydrogen Peroxide	174
I., Miyamoto, K., Sato, J., Yorimitsu, S., Tao, S., Ishibashi, K., and Tokuda, M.: A Variant Translocation (8;22) in a Japanese Patient with	
Burkitt Lymphoma	176
Huh, N., and Utakoji, T.: Production of HBs-antigen by Two New Human Hepatoma Cell Lines and Its Enhancement by Dexamethasone	179
Repatonia Cen Lines and its Enhancement by Dexamethasone	170
Sasaki, T., and Sakka, M.: Implications of Thymidine Labeling Index in the Growth Kinetics of Human Solid Tumors	181
Morimoto, K., Tanaka, A., Sato, M., and Yamaha, T.: Modification of Poly-L-lysine by Treatment with 1,1'-Ethylene-bis(1-nitrosourea) in vitro	189
Shuin, T., Moriyama, M., Nishimura, R., Takai, S., and Umeda, M.: Studies on the Cytotoxicity, Mutagenicity and Chromosomal Aberration-inducing Activity of Aclacinomycin A in Cultured Mammalian Cells	197

Tsuchida, T., Fujiwara, H., Tsuji, Y., and Hamaoka, T.: Inhibitory Effect of Pro-
pionibacterim acnes-activated Macrophages on the Tumor Metastasis Enhanced
by Tumor-specific Immunosuppression
Nishio, C., Ishii, Y., Jimbow, K., and Kikuchi, K.: Immunochemical Charac-
terization of Murine B16 Melanoma-associated Antigens and Their Detection
in Sera of Tumor-bearing Hosts by Radioimmunoassay
Arakawa, M., Shimizu, F., Sasagawa, K., Inomata, T., and Shinkai, K.: Anti-
tumor Activity of Methyl (5-Fluoro-1 <i>H</i> -2-oxo-4-pyrimidinyl β-D-glucopyranosid)-
uronate against Various Experimental Tumors
Hashida, M., Kato, A., Kojima, T., Muranishi, S., Sezaki, H., Tanigawa, N.,
Satomura, K., and Hikasa, Y.: Antitumor Activity of Mitomycin C-Dextran
Conjugate against Various Murine Tumors
Kubo, T., Tsunoda, H., Tanaka, S., and Soga, J.: Geographical Pathology of
Gastric Carcinoma: A Comparative Study on Histological Types between
High and Low Mortality Area in Japan23
Sato, E., Goto, M., and Nakamura, T.: Nuclear Ultrastructure in Carcinoma,
Adenoma, Peutz-Jeghers Polyp and Dysplasia of the Large Bowel: A Mor-
phometric Analysis
Suzuki, E., Iiyoshi, M., and Okada, M.: Metabolic Fate of N-Alkyl-N-(3-hydroxy-
propyl and 2-hydroxyethyl)nitrosamines in the Rat in Relation to the Induc-
tion of Bladder Cancer by N-Butyl-N-(1-4-hydroxybutyl)nitrosamine and
Its Homologs
Geurtsen, W., Zahn, R. K., Maidhof, A., and Müller, W. E. G.: Stimulation
of DNA Polymerase β Activity in Permeabilized Mouse P815 Mast Cells after
Neocarzinostatin Treatment
Kawamura, H., and Hashimoto, Y.: Inhibitory Effect of 5-Halogenated De-
oxyuridines on in vitro Keratinization of a Transformed Rat Urinary Bladder
Epithelial Cell Line
Nishimura, M., Umeda, M., Kusanagi, A., Urakabe, R., Yukimatsu, K., and
Otawara, S.: Cytomorphological Study of Cultured Mammalian Cells
Treated with Benzaldehyde, Catechol and Their Derivatives with Special
Reference to Inhibition of DNA Synthesis
Nakasaki, H., Mitomi, T., Tajima, T., Ogoshi, K., Tsuda, M., and Katsu-
numa, T.: Clinical Significance of a Serum DNA Binding Protein (64-DP)
in Evaluating Malignant Diseases
Nambata, T., Terada, N., and Takeuchi, S.: Effect of Benzaldehyde on the Pro-
liferation of HeLa Cells
Kondo, T., Sakamoto, J., Ichihashi, H., and Kamei, H.: Effect of Alternating
Administration of PS-K and Carbazilquinone in Tumor-bearing Mice
running ration of 15-12 and Carbazhquinone in Lunior bearing rates
NOTES
NOTES
Nishitani, K., Namba, M., and Kimoto, T.: Lactate Dehydrogenase Isozyme
Patterns of Normal Human Fibroblasts and Their in vitro-transformed Coun-
terparts Obtained by Treatment with Co-60 Gamma-rays, SV40 or 4-Nitro-
quinoline 1-Oxide300
72(6) 1981 ii

Toge, T., Nakanishi, K., Yamada, Y., Yanagawa, E., and Hattori, T.: Scanning
Electron Microscopic Studies on the Surface Structure of Activated Macrophages
and on Their Interaction with Tumor Cells
Kasukabe, T., Honma, Y., and Hozumi, M.: The Tumor Promoter 12-O-Tetra-
decanoyl-phorbol-13-acetate Inhibits or Enhances Induction of Differentiation
of Mouse Myeloid Leukemia Cells Depending on the Type of Serum in the
Medium
Yoshida, H., and Fukunishi, R.: Effects of Sex Steroids on the Development of
7,12-Dimethylbenz[a]anthracene-induced Mammary Dysplasia in Neonatally
Androgenized Female Rats315
Sawada, N., Furukawa, K., Gotoh, M., Mochizuki, Y., and Tsukada, H.: Es-
timation of Resistance to Dimethylnitrosamine of Normal Hepatocytes, Hyper-
plastic Nodule Cells and Hepatoma Cells of Rats in Primary Culture318
Mori, K. J., and Seto, A.: Separation of Hemopoietic Stem Cells of Low Self-renewal
Capacity from Mouse Bone Marrow322
GOLD HAVING A THOUGH
——COMMUNICATIONS——
Hosaka, S., and Hirono, I.: Carcinogenicity Test of Quercetin by Pulmonary-
adenoma Bioassay in Strain A Mice327
Hashimoto, Y., and Masuko, T.: Hybridoma Established from Spleen Cells of
a Rat Immune to Syngeneic Bladder Tumor: Its Secretion of Monoclonal
Antibody Specific for a Tumor Cell Clone in a Long-term Transplanted Blad-
der Tumor Line329
Hirono, M., Shimura, K., Nakagami, K., Niimoto, M., and Hattori, T.: Mac-
roscopic Demonstration of Atypical Epithelial Lesion of the Stomach by the
Leucine Aminopeptidase-Alkaline Phosphatase Double Staining Method331
Taniguchi, T., Kiyohashi, A., Kitsuta, T., and Okabe, H.: Changes of ATPase
Activities in Lymphocytes from Patients with Carcinomas of the Gastrointestinal
Tract
Nakajima, T., Watanabe, S., Sato, Y., Kameya, T., and Shimosato, Y.: Im-
munohistochemical Demonstration of S100 Protein in Human Malignant
Melanoma and Pigmented Nevi
Abe, I., Saito, S., Suzuki, M., and Sato, H.: Increase in the Cytotoxicity of 1-β-D-
Arabinofuranosylcytosine due to Inhibition of Degradation of Its Triphosphate
by Hydroxyurea in Burkitt's Lymphoma Cells
Cameron, R., Imaida, K., and Ito, N.: Promotive Effects of Ethinyl Estradiol in
Hepatocarcinogenesis Initiated by Diethylnitrosamine in Male Rats339
Inaha M Vochida N and Teukagochi S. Dusfavantial Action of Lineana
Inaba, M., Yoshida, N., and Tsukagoshi, S.: Preferential Action of Liposome-
entrapped 1-(2-Chloroethyl)-3-(4-methylcyclohexyl)-1-nitrosourea on Lung Me-
tastasis of Lewis Lung Carcinoma as Compared with the Free Drug341
Hirano, N., Kohda, S., Miyazaki, K., Matuo, Y., Yamashita, J., and Horio,
T.: Tumor-associated Serum Proteins in Rats as Detected by Two-dimensional
Gel Electrophoresis

Oguma, S., Takatsuki, K., and Uchino, H.: Prognostic Factors in Multiple	07.4
Myeloma: Parametric Analysis in Each Abnormal Protein Type	354
Terashima, H., Yasumoto, K., Yanagawa, E., Takayama, K., Nomoto, K., Azuma, I., and Yamamura, Y.: Combined Treatment of Syngeneic Murine	
Tumors and Xenotransplanted Human Lung Cancer by Immunotherapy and	
Radiotherapy	363
Itoh, O., Torikai, T., Satoh, M., Okumura, O., and Osawa, T.: Antitumor	
and Toxohormone-neutralizing Activities of Human Ceruloplasmin	370
Nakabayashi, H.: Spontaneous Neoplastic Transformation in vitro of a Diploid Clone	
of Rat Liver Cells under Conditions of Large Inoculum Size of Cells at the	
Transfer	377
Hiragun, A., Sato, M., and Mitsui, H.: Protease Resistance of Transformed Cells	
in Culture: Production of Growth-promoting Factor(s) by Protease-resistant	
Cells	388
Mizuno, S., and Ishida, A.: Potentiation of Bleomycin Cytotoxicity toward Cultured	
Mouse Cells by Hyperthermia and Ethanol	395
Tanio, Y., Yamamura, Y., Saiki, I., Okumura, H., Kamisango, K., Okuyama,	
H., and Azuma, I.: Antimetastatic Effect of Cell-wall Skeleton of Propioni-	
bacterium acnes C7 on Lewis Lung Carcinoma in C57BL/6J Mice	403
Kodama, Y., and Tanaka, K.: Effect of Tranexamic Acid on the Growth and	
Metastasis of V2 Carcinoma in Rabbits	411
Ishikawa, K., Suzuki, J., Tsutsumi, K., Tomita, Y., Hariu, A., Mizuno, C., and	
Seiji, M.: Inhibition of Cell-free Protein and RNA Syntheses by Partially Pu-	
rified Fractions of Mouse Melanoma Extract	417
Tsubura, Y., Imai, S., Morimoto, J., and Hilgers, J.: Strain Difference in the	
Expression of Mammary Tumor Virus Antigen in the Male Genital Organs of	
Mice during Aging	424
NOTES	
Kubo, T.: Geographical Pathology of Gastric Carcinoma: Histological Types among	400
Chileans	430
Yoshida, S., Sanui, H., Ohhara, R., Nomoto, K., and Takeya, K.: Restorative	
Effects of Nandrolone Decanoate on the Mononuclear Phagocyte System in	405
Tumor-bearing Mice	433
Mori, H., Domellöf, L., Weisburger, J. H., and Williams, G. M.: Enhancing	
Effect of Vagotomy and Pyloroplasty on Gastrointestinal Carcinogenesis In-	
duced by Nitrosamide in Hamsters	440
Kiya, K., Toge, T., Harada, K., Uozumi, T., and Hattori, T.: Effect of Intra-	
cerebral Administration of Corynebacterium parvum on the Growth of Brain Tumors	
in Mice	446
Yano, K.: Alkylating Activity of Processed Fish Products Treated with Sodium	
Nitrite in Simulated Gastric Juice	451
Ishida, A., and Mizuno, S.: Synergistic Enhancement of Bleomycin Cytotoxicity	
toward Tumor Cells in Culture by a Combination of Ethanol and Moderate	
Hyperthermia	455
Namba, M., and Kimoto, T.: Culture Conditions for a Human Lymphoma Cell	
Line (Raji) and Their Application to Mutation Research	459

CONTENTS
Parry, E. W.: Cycloheximide Treatment Modifies the Pattern of "Metastasis"  Following Intravenous Injection of Ehrlich Ascites Tumour Cells
——COMMUNICATION——
Nomura, Y., Kanda, K., Shigematsu, T., Narita, N., Matsumoto, K., and Sugano, H.: Relation between Estrogen Receptors and Body Weight in Japanese Pre- and Post-menopausal Breast Cancer Patients
Yoshioka, O., Abe, S., Masuko, Y., and Mizuno, D.: Typing of Immunomodulators in Terms of Their Effects on the Electrophoretic Pattern of Serum Proteins and Antitumor Combination Therapy Based on This Typing
Development of Large Numbers of α-Fetoprotein-containing "Oval" Cells in the Liver of Rats Fed N-2-Fluorenylacetamide in a Choline-devoid Diet
Its Inhibition by Tumor Promoters in Mouse Myeloid Leukemia Cells
HVJ (Sendai Virus) Carrier Hamster Tumor Cells by Transplantation
Hibasami, H., and Ito, H.: Antitumor Effect of Dicyclohexylammonium Sulfate, a Potent Inhibitor of Spermidine Synthase
Kato, I., Kobayashi, S., Yokokura, T., and Mutai, M.: Antitumor Activity of  Lactobacillus casei in Mice
Teshima, S., Sakashita, S., Kikuchi, Y., and Aizawa, M.: Histogenesis of Yolk Sac Carcinoma Induced by Fetectomy in the Rat
Huang, GF., Mochizuki, M., Anjo, T., and Okada, M.: Mutagenicity of N-Alkyl-N-(α-acetoxyalkyl)nitrosamines in V79 Chinese Hamster Cells in Rela-
tion to Alkylating Activity
tabolic Fate and Carcinogenicity of N-(ω-Hydroxyalkyl)-N-(4-hydroxybutyl)- nitrosamines, Analogs of N-Butyl-N-(4-hydroxybutyl)nitrosamine, in the Rat539
Suzuki, E., Aoki, J., and Okada, M.: Metabolic Fate of N-Butyl-N-(4-hydroxybutyl)- nitrosamine and N,N-Dibutylnitrosamine in the Guinea Pig, with Reference to
Their Carcinogenic Effects on the Urinary Bladder
Effect on the Urinary Bladder
Vincristine in Rat Ascites Hepatoma AH66
Location of Neurogenic Tumors Induced in Wistar Rats by a Single Dose of N-Ethyl-N-nitrosourea
Tanooka, H., Tokuzen, R., and Tanaka, K.: Radiation Response of Autochthonous  Mammary Tumors in SHN Mice
Can

Kokubo, T., Takahashi, M., Kurokawa, Y., Miyahara, M., Furihata, C., and Matsushima, T.: Preservation of Gastric Gland Character in Transplantable Gastric Adenocarcinoma (SG2B) of Rats	)
mycin	-
Tominaga, T., Kitamura, M., Saito, T., and Itoh, I.: Effects of Hexestrol, Medroxyprogesterone Acetate and Chlormadinone Acetate on 7,12-Dimethyl- benz[a]anthracene-induced Rat Mammary Cancer in Relation to Estrogen Receptor	L
Okita, K., Ando, K., Fukumoto, Y., Miyazaki, M., Tsubota, W., Kodama, T., and Takemoto, T.: Increase of T Cells in the Liver during Hepatocarcinogenesis with N-2-Fluorenylacetamide in Rat	)
Kurokawa, Y., Takahashi, M., Furihata, C., Ohno, Y., and Takamura, N.:  Transplantation of Untreated Glandular Stomach of Fetal and Newborn Rats and Their Malignant Conversion	7
COMMUNICATIONS-	
Cameron, R., Imaida, K., and Ito, N.: Promotive Effects of Deoxycholic Acid on Hepatocarcinogenesis Initiated by Diethylnitrosamine in Male Rats	
Tsubura, A., and Morii, S.: Morphologic Characteristics of Pregnancy-dependent Mammary Tumors in GRS/A Mice	,
in Mice by Skin Application	

Concetti, H. F., Kato, Y., Sugano, H., and Kitagawa, T.: Natural History of
Gastric Carcinoma with Special Reference to the "Early Cancer" Stage: A
Mitotic Index Study on Original and Recurrent Carcinomas
Itoh, O., Torikai, T., Satoh, M., Okumura, O., and Osawa, T.: Immunopoten-
tiation of Tumor-bearing and Toxohormone-treated Mice by Human Cerulo-
plasmin
Nakamura, Y., Kodama, M., and Kodama, T.: Relation between Adrenal Function and 7,12-Dimethylbenz[a]anthracene-induced Mammary Cancer of the
Rat679
Tajima, K., Tominaga, S., Shimizu, H., and Suchi, T.: A Hypothesis on the
Etiology of Adult T-cell Leukemia/Lymphoma
Hojo, H., and Hashimoto, Y.: Cytotoxic Cells Induced in Tumor-bearing Rats by a
Streptococcus Preparation (OK-432)692
Sumi, Y., and Miyakawa, M.: Comparative Studies on the Production of Stomach
Tumors Following the Intubation of Several Doses of N-Methyl-N'-nitro-N-
nitrosoguanidine in Germ-free and Conventional Newborn Rats700
Isobe, K., Kawashima, K., Watanabe, E., Yamada, K., Nagai, Y., Nakashima,
I.: Induction of Tumor Resistance by Hybrid Cell Lines between Human
Acute Lymphocytic Leukemia Cells and Mouse Myeloma Cells
Suzuki, E., Mochizuki, M., and Okada, M.: Metabolic Fate of N-Methyl-N-
Dodecylnitrosamine in the Rat, in Relation to its Carcinogenicity to the Uri-
nary Bladder713
Ohizumi, Y., Shibata, C., Maezawa, H., Ushiro, S., and Mori, T.: Effect of
Prolonged Exposure of HeLa S3 Cells to Low Concentrations of Misonidazole717
Nakajima, H., Abe, S., Masuko, Y., Tsubouchi, J., Yamazaki, M., and Mizuno,
D.: Elimination of Tumor-enhancing Cells by Cyclophosphamide and its
Relevance to Cyclophosphamide Therapy of a Murine Mammary Tumor723
Fujiwara, H., Tsuchida, T., Mizuochi, T., Kohmo, T., and Hamaoka, T.: The
Mechanism of Specific Suppression in Effector T Cell Clones against Tumor-
associated Transplantation Antigens732
Akiyama, S., Masuda, A., Tabuki, T., Kuwano, M., and Komiyama, S.: En-
hancement of the Antitumor Effect of 6-Mercaptopurine by Vitamin A742
Tamano, S., Tsuda, H., Tatematsu, M., Hasegawa, R., Imaida, K., and Ito,
N.: Induction of $\gamma$ -Glutamyl Transpeptidase Positive Foci in Rat Liver by
Pyrolysis Products of Amino Acids
Tsukanaka, K., Isohashi, F., and Sakamoto, Y.: Effect of High Level of En-
dogenous Corticosterone on Glucocorticoid Receptors in the Spleen of Rats
Bearing AH130 Tumors
Terasima, T., Yasukawa, M., and Kimura, M.: Radiation-induced Transfor-
mation of 10T1/2 Mouse Cells in the Plateau Phase: Post-irradiation Changes
and Serum Dependent
NOTES
Tamura, H., Shimura, H., and Kimura, G.: Antiserum to SV40 T Antigens from
a Rabbit Inoculated with Autochthonous Cells Transformed in vitro by SV40769
Noda, K., Umeda, M., and Ono, T.: Effects of Various Chemicals Including Bile
Acids and Chemical Carcinogens on the Inhibition of Metabolic Cooperation772
Viii

Kuroda, K., and Akao, M.: Antitumor and Anti-intoxication Activities of Fumaric Acid in Cultured Cells	777
Nomoto, C., Suemasu, K., Hiagshi, Y., Takeuchi, O., Shisa, H., Tsuchiya,	
S., Hozumi, M., and Yoshida, S.: Establishment and Characterization	
	783
	703
Toge, T., Hirai, T., Takiyama, W., and Hattori, T.: Effects of Surgical Strees on	
Natural Killer Activity, Proliferative Response of Spleen Cells and Cytostatic	
Activity of Lung Macrophages in Rats	790
Sasaki, K., Takahashi, M., Ogino, T., and Yasui, H.: In vitro Estimation of Cell	
Kinetic Parameters in Human Urinary Bladder Cancers	795
Mori, H., Tanaka, T., Nishikawa, A., Takahashi, M., and Williams, G. M.:	
Enhancing Effect of Barbital on N-2-Fluorenylacetamide-induced Rat Liver	
Lesions	798
Kitagawa, H., Nakamura, M., Kiuchi, Y., and Iwaguchi, T.: Drug Sensitivity	
of Rat Bladder Cancer in Syngeneic Hosts and Athymic Nude Mice	802
Watanabe, M., and Abe, T.: Aryl Hydrocarbon Hydroxylase and its Components	
in Human Lung Microsomes	906
in riuman Lung Microsomes	000
——COMMUNICATION——	
Hirota, N., and Yokoyama, T.: Enhancing Effect of Hydrogen Peroxide upon	
Duodenal and Upper Jejunal Carcinogenesis in Rats	Ω11
Duodenai and Opper Jejunai Caremogenesis in Rats	011
CONTRIBUTION	
Nagayo, T.: Dysplasia of the Gastric Mucosa and Its Relation to the Precancerous State	813
ORIGINALS	
Markons V Narrama S Okaraki U Nakamura U Shinaraka T and	
Maehara, Y., Nagayama, S., Okazaki, H., Nakamura, H., Shirasaka, T., and	
Fujii, S.: Metabolism of 5-Fluorouracil in Various Human Normal and	
Tumor Tissues	824
Yamamoto, Y., Tomida, M., Hozumi, M., and Azuma, I.: Enhancement by	
Immunostimulants of the Production by Mouse Spleen Cells of Factor(s) Stim-	
ulating Differentiation of Mouse Myeloid Leukemic Cells	828
Kimura, S., Okazaki, K., Tanaka, S., and Yoshida, N.: Expression of Herpes	
Simplex Virus Common Surface Antigens and Malignancy by Clonal Cells	
	834
Hada, T., Higashino, K., Yamamoto, H., Okochi, T., Sumikawa, K., Watanabe,	
S., Matsuda, M., Osafune, M., Kotake, T., and Sonoda, T.: \gamma-Glutamyl	
Transpeptidase in a Newly Established Cell Line from Human Renal Carci-	
noma, OUR-10	849
	072
Mashiba, H., Matsunaga, K., Yagawa, K., Nomura, Y., Yoshinaga, H., Furu-	
sawa, M., and Jimi, S.: Elevated Cytostatic Activity of Monocytes from	
Cancer Patients	848
72(6) 1981	ix

Miyahara, T., and Torisu, M.: Serum Inhibitory Factor for Guinea Pig Macro-	
phage and Neutrophil Chemotaxis Found in Cancer Patients85	4
Kawazoe, Y., and Tamura, N.: Synthesis and Antitumor Effect of New Biological	
Alkylating Agents, Isethionic Acid Esters86	2
Nishimura, M., Umeda, M., Kusanagi, A., Urakabe, R., Yukimatsu, K., and	
Otawara, S.: Antiproliferative Activity of Protocatechualdehyde on Chinese	
Hamster Cells Grown in Culture	Ω
Takubo, K., Shisa, H., Futatsuki, K., and Sasajima, K.: Early Changes of Dog	G
	^
Esophageal Mucosa Induced by N-Ethyl-N'-nitro-N-nitrosoguanidine880	J
Kawaura, A., Kumagai, H., Shibata, M., Izumi, K., and Otsuka, H.: Tumors	
of the Anal Region Induced in Mice Painted with Methylazoxymethanol Acetate	
88	6
Hiragun, A., Sato, M., and Mitsui, H.: Prevention of Tumor Promoter-mediated	
Inhibition of Preadipocyte Differentiation by Dexamethasone89	1
Honma, Y., Kasukabe, T., and Hozumi, M.: Selection and Characterization of	
Pulmonary Clonizing Cells from Cultured Mouse Mammary Carcinoma Cells	
1 dimentally closing control cultured reporter reasonable control cont	Ω
Chatterjee, G., Das, S., Basu, A., and Mitra, S.: Lysozyme in Schwartz and	9
	_
Moloney Virus-induced Lymphoblastic Leukemia90	0
Suzuki, E., and Okada, M.: Metabolic Fate of Asymmetric N,N-Dialkylnitrosamines	
Having a Butyl Group in the Rat91	)
Hashimoto, Y., Watanabe, H. K., and Degawa, M.: Mutagenicity of 4-Amino-	
azobenzene, N-Hydroxy-4-aminoazobenzene, 4-Nitrosoazobenzene, 4-Nitro-	
azobenzene, and Their Ring Methoxylated Derivatives on Salmonella92	1
Watanabe, H. K., and Hashimoto, Y.: Unscheduled DNA Synthesis Induced by	
4-Aminoazobenzene, N-Hydroxy-4-aminoazobenzene, and Their Derivatives	
in Primary Cultures of Rat and Mouse Hepatocytes93	n
Hashimoto, Y., Degawa, M., Watanabe, H. K., and Tada, M.: Amino Acid Conju-	•
gation of N-Hydroxy-4-aminoazobenzene Dyes: A Possible Activation Process	
of Carcinogenic 4-Aminoazobenzene Dyes to the Ultimate Mutagenic or Car-	
cinogenic Metabolites93	7
Imai, R., Morimoto, M., Marumo, H., Kobayashi, T., Tsuruo, T., Inaba, M.,	
Tsukagoshi, S., and Sakurai, Y.: Antitumor Activity of 7-N-(p-Hydroxy-	
phenyl)-mitomycin C in Experimental Tumor Systems94	1
NOTING	
NOTES	
Kobayashi, T., Inaba, M., Tsukagoshi, S., Sakurai, Y., Imai, R., and Morimoto,	
M.: Comparison of the Hematologic Toxicity of 7-N-(p-Hydroxyphenyl)-	
mitomycin C and Mitomycin C950	)
Kawashima, K., Watanabe, E., Kato, Y., Suzuki, H., Minami, S., Isobe, K.,	
Ogura, M., Nagura, E., and Yamada, K.: A Significant Role of Proximity	_
of HVJ-antigen in the Generation of Tumor Immunity95	)
Ohkoshi, M.: Inhibition of Growth of 3-Methylcholanthrene-induced Mouse Skin	
Tumor by Protease Inhibitor [N,N-Dimethylcarbamoylmethyl 4-(4-guanidino-	
benzoyloxy)-phenylacetate] Methanesulfate95	)
X Gan	n

Miwa, M., Nakamura, J., and Ishitsuka, H.: A Simple and Convenient Assay  Method for Phosphorolysis of 5'-Deoxy-5-fluorouridine
Mochizuki, Y., Sawada, N., and Furukawa, K.: Effect of Bolandiol Dipropionate
(Anabiol), an Anabolic Hormone, on Diethylnitrosamine-induced Hepatocar- cinogenesis in Rats969
Muto, Y., Moriwaki, H., and Omori, M.: In vitro Binding Affinity of Novel Syn-
thetic Polyprenoids (Polyprenoic Acids) to Cellular Retinoid-binding Pro-
teins
Miyoshi, I., Kubonishi, I., Yoshimoto, S., and Shiraishi, Y.: A T-cell Line
Derived from Normal Human Cord Leukocytes by Co-culturing with Human
Leukemic T-cells978
Sakaguchi, S., Takahashi, T., Sakakura, T., Sakagami, Y., Nishizuka, Y., and Tanaka, H.: Earlier Appearance of Murine Mammary Tumor Virus-associated Antigens in Duct-alveolus Nodules Induced by Transplantation of Fetal
Salivary Mesenchyme into C3H Mouse Mammary Glands
Akiyoshi, T., Miyazaki, S., Koba, F., Kawaguchi, M., and Tsuji, H.: Relationship between Lymphocyte Proliferation and Migration Inhibitory Factor Production in Response to Autologous Tumor Extract in Cancer Patients988
Yamane, Y., Sakai, K., Ohtawa, M., Murata, N., Yarita, T., and Ide, G.: Suppressive Effect of Aluminium Chloride Administration on Mouse Lung Carcinogenesis by Dimethylnitrosamine
COMMUNICATION
Miyoshi, I., Yoshimoto, S., Kubonishi, I., Taguchi, H., Shiraishi, Y., Ohtsuki,
Y., and Akagi, T.: Transformation of Normal Human Cord Lymphocytes
by Cocultivation with a Lethally Irradiated Human T-cell Line Carrying Type
C Virus Particles997